



NCERT Class 12

Chemistry Practical Syllabus

Micro-chemical methods are available for several of the practical experiments. Wherever possible, such techniques should be used.

A. Surface Chemistry

(a) Preparation of one lyophilic and one lyophobic sol

Lyophilic sol - starch, egg albumin and gum

Lyophobic sol - aluminium hydroxide, ferric hydroxide, arsenous sulphide.

(b) Dialysis of sol-prepared in (a) above.

(c) Study of the role of emulsifying agents in stabilizing the emulsion of different oils.

B. Chemical Kinetics

(a) Effect of concentration and temperature on the rate of reaction between Sodium Thiosulphate and Hydrochloric acid.

(b) Study of reaction rates of any one of the following:

(i) Reaction of Iodide ion with Hydrogen Peroxide at room temperature using different concentration of Iodide ions.

(ii) Reaction between Potassium Iodate, (KIO_3) and Sodium Sulphite: (Na_2SO_3) using starch solution as indicator (clock reaction).

C. Thermochemistry

Any one of the following experiments

i) Enthalpy of dissolution of Copper Sulphate or Potassium Nitrate.

ii) Enthalpy of neutralization of strong acid (HCl) and strong base (NaOH).

iii) Determination of enthalpy change during interaction (Hydrogen bond formation) between Acetone and Chloroform.

D. Electrochemistry

Variation of cell potential in $Zn/Zn^{2+} || Cu^{2+}/Cu$ with change in concentration of electrolytes ($CuSO_4$ or $ZnSO_4$) at room temperature.

E. Chromatography

i) Separation of pigments from extracts of leaves and flowers by paper chromatography and determination of R_f values.

ii) Separation of constituents present in an inorganic mixture containing two cations only (constituents having large difference in R_f values to be provided).

F. Preparation of Inorganic Compounds

Preparation of double salt of Ferrous Ammonium Sulphate or Potash Alum. Preparation of Potassium Ferric Oxalate.

G. Preparation of Organic Compounds

Preparation of any one of the following compounds

i) Acetanilide ii) Di-benzalAcetone iii) p-Nitroacetanilide iv) Aniline yellow or 2 - Naphthol Anilinedye.

H. Tests for the functional groups present in organic compounds:

Unsaturation, alcoholic, phenolic, aldehydic, ketonic, carboxylic and amino (Primary) groups.

I. Characteristic tests of carbohydrates, fats and proteins in pure samples and their detection in given foodstuffs.

J. Determination of concentration/ molarity of $KMnO_4$ solution by titrating it against a standard solution of:

i) Oxalic acid,

ii) Ferrous Ammonium Sulphate

(Students will be required to prepare standard solutions by weighing themselves).

K. Qualitative analysis

Determination of one cation and one anion in a given salt.

Cation: Pb^{2+} , Cu^{2+} , As^{3+} , Al^{3+} , Fe^{3+} , Mn^{2+} , Zn^{2+} , Cu^{2+} , Ni^{2+} , Ca^{2+} , Sr^{2+} , Ba^{2+} , Mg^{2+} , NH_4^+

Anions: $(\text{CO}_3)^{2-}$, S^{2-} , $(\text{SO}_3)^{2-}$, $(\text{NO}_2)^-$, $(\text{SO}_4)^{2-}$, Cl^- , Br^- , I^- , PO_3^{4-} , $(\text{C}_2\text{O}_4)^{2-}$, CH_3COO^- , NO_3^-

(Note: Insoluble salts excluded)

Your Mentor Guru